


THE **SECRET** TO LONG LIFE

Designed by you





Green Good Design™ is Awarded by The Chicago Athenaeum: Museum of Architecture and Design and The European Centre for Architecture Art Design and Urban Studies.



VIENNA, AUSTRIA



AUGSBURG, GERMANY

UPM ProFi Deck Relax – it's designed for the long run

Life is for living and beauty should be a part of everyone's life.

UPM ProFi Deck's fresh and modern colours allow you to bring style to outdoor living. Better yet, once created, your design will continue to look great through the years with only minimal maintenance. This is thanks to UPM ProFi Deck's unique combination of lignin free fibres and a high friction and stain resistant surface.

First create, and then enjoy: just as life should be.

Looks and
colours that
withstand
time

UPM ProFi Deck pays no attention to time passing by. Designed in Finland, and manufactured in Germany and Finland, UPM ProFi Deck sets new standards in colour durability. This is because, unlike wood and other composites, it is virtually free of lignin, the natural wood molecule which turns grey when exposed to sunlight.

The principal materials used to make UPM ProFi Deck are specially selected wood based fibres and clean plastic polymers which, as the by-products of other industrial processes, would otherwise be disposed of in landfill or incineration. UPM ProFi Deck is PVC free and non toxic.

By giving a second life to these materials, it is a great case of a good environmental solution resulting in better technical performance.





LÄNGENFELD, AUSTRIA

BOUZIGUES, FRANCE

Ease of maintenance and a high friction surface are part of the benefits of UPM ProFi Deck, whether in a residential or a commercial installation.

Resisting stains, reducing worries

UPM ProFi's stone like surface is non-porous. Unlike with wood and many other composite deckings, wine, oil and other liquid spills are not readily absorbed and can be easily cleaned.

In terms of maintenance, no sanding, varnishing, painting or staining is needed. In most cases brushing and the occasional jet wash is all that is needed.

High performance and yet great to the touch

Having a high friction surface, whether wet or dry makes UPM ProFi Deck ideal not only for garden terraces, but also for restaurants, swimming pool areas and marina walkways.

With good impact resistance, even in cold weather, a hardwearing surface, and colour throughout the profile, UPM ProFi Deck has been engineered to last.

And yet this is a deck that loves bare feet. It feels warm when it's cold and almost soft to touch. You will never get a splinter from a UPM ProFi Deck.



THE HAGUE, THE NETHERLANDS

The total decking system


The UPM ProFi Deck installation system has been designed for ease, speed and perfect finish.

The hollow core structure of the profiles has been engineered to optimize the strength to weight ratio, resulting in a hardwearing product that is still easy and light to handle. Cables can also be hidden in the channels.

The T-Clips can be screwed directly into the support rails or timber joists with no pre-drilling. For a closed deck surface, Alu Rail provides the perfect alternative to the T-Clips. For professional steps made easy or an extra durable deck edging, UPM ProFi's patented Rail Step solution is second to none.



Create your design – Choose your colours



SILVER GREEN

SUNNY BEIGE

AUTUMN BROWN

With no knots or other defects, and every piece produced to the same accurate dimensional tolerances, waste is minimized and installation speed increased.



LOW
MAINTENANCE



DURABLE &
UV RESISTANT



HARD
WEARING



SPLINTER FREE
& WARM TO TOUCH



HIGH FRICTION
SURFACE




HELPING THE
ENVIRONMENT



EASY TO WORK
QUICK TO INSTALL

UPM ProFi Deck can be worked with conventional woodworking tools e.g. saw, drill and power screwdriver.

UPM ProFi Deck is available in six colors: Silver Green, Sunny Beige, Autumn Brown, Snow Blue, Stone Grey and Night Sky Black. Select your own favorite from below.



SNOW BLUE


STONE GREY

NIGHT SKY BLACK

Measurements & details




DECKING BOARD
Standard length: 4 m
1 m² = ~7 m




T-CLIP



SUPPORT RAIL
Standard length: 4 m




PROFI CLIP





ALU RAIL
Standard length: 4 m



COVER STRIP
Standard length: 4 m



RAIL STEP
Standard length: 4 m



For large projects, special lengths up to 9m may be ordered subject to availability, quantity and special pricing. Please contact your distributor.

Further information on how to install UPM ProFi Deck can be found from the installation instructions.

Owing to the nature of the recycled raw material, slight variations in colour shade may exist between different production batches.



Advanced recycled
raw material



UPM

www.upmprofi.com

UPM ProFi
P.O. Box 203
FI-15141 Lahti
Finland

